

Material Safety Data Sheet

Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 1/8



1. Identification of the substance/preparation and of the company/undertaking

Product name: KODAK XTOL Developer, Part A

Product code: 8751752 - Part A

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York, 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For other information or to request an MSDS, call (800) 242-2424.

Synonyms: PCD 6311

2. Hazards identification

CONTAINS: Sodium sulphite (7757-83-7), Sodium metaborate, tetrahydrate (10555-76-7), 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (13047-13-7)

WARNING!

**MAY BE HARMFUL IF INHALED, ABSORBED THROUGH SKIN, OR SWALLOWED
DUST IRRITATING TO RESPIRATORY TRACT
CAUSES SKIN AND EYE IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION**

NFPA Hazard Ratings: Health - 2, Flammability - 0, Instability - 0

NOTE: NFPA 704 (2007) hazard indexes involves data review and interpretation that may vary among companies. It is intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight %	Components - (CAS-No.)
90 - 95	Sodium sulphite (7757-83-7)
5 - 10	Sodium metaborate, tetrahydrate (10555-76-7)
1 - 5	Pentetic acid, pentasodium salt (140-01-2)
0.1 - 1	4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (13047-13-7)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Destroy or thoroughly clean contaminated shoes. Wash contaminated clothing before re-use.

Material Safety Data Sheet



Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 2/8

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

5. Fire-fighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products section).

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Do not breathe dust at concentrations greater than the exposure limits. Keep container closed. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling.

Prevention of Fire and Explosion: No special technical protective measures required.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls / personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone	EK HPG	Time Weighted Average (TWA):	0.2 mg/m3
Sulphur dioxide	ACGIH	time weighted average	2 ppm
	ACGIH	Short term exposure limit	5 ppm
	OSHA Z1	Permissible exposure limit	5 ppm 13 mg/m3

Ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: N95 Particulate Filter. A respirator should be worn if hazardous decomposition products are likely to be or have been

Material Safety Data Sheet



Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 3/8

released. Respirator type: Acid gas. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear impervious gloves and protective clothing appropriate for the risk of exposure.

9. Physical and chemical properties

Physical form: solid (powder)

Colour: off-white

Odour: odourless

Specific gravity: no data available

Vapour pressure: negligible

Vapour density: no data available

Volatile fraction by weight: negligible

Melting point/range: no data available

Water solubility: complete

pH: no data available

Flash point: does not flash

10. Stability and reactivity

Stability: Stable.

Incompatibility: Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides.

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

General advice:

Contains: Sodium metaborate, tetrahydrate. Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.

Material Safety Data Sheet



Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 4/8

Contains: 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone. May cause adverse reproductive effects such as infertility based on animal data. Based on repeated-dose ingestion studies in animals, this chemical may cause blood, testicular, and adverse reproductive effects.

Inhalation: May be harmful if inhaled. Airborne dust irritating. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: Causes eye irritation.

Skin: Causes skin irritation. May be harmful if absorbed through skin. May be absorbed in toxic amounts through damaged or abraded skin. May cause allergic skin reaction based on human experience.

Ingestion: May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:

- Oral LD50 (rat): > 1,600 mg/kg
- Skin irritation: none
- Eye irritation: slight; washing palliative

Data for Pentetic acid, pentasodium salt (CAS 140-01-2):

Acute Toxicity Data:

- Oral LD50 (male rat): 3,200 mg/kg
- Oral LD50 (female rat): 2,263 mg/kg
- Skin Sensitization: none
- Skin Sensitization (guinea pig):

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Oral (11 days, male rat): NOEL; 100 mg/kg/day

Data for 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (CAS 13047-13-7):

Acute Toxicity Data:

- Oral LD50 (rat): 566 mg/kg
- Oral LD50: 283 mg/kg
- Dermal LD50: > 1,000 mg/kg
- Skin irritation: slight
- Skin irritation: slight exacerbation (repeated skin application)
- Skin Sensitization: slight

Material Safety Data Sheet



Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 5/8

- Eye irritation: strong irritation
- Eye irritation (unwashed eyes): strong
- Eye irritation (washed eyes): slight to moderate

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Oral (12-day, rat): NOEL; 88 mg/kg/day
- Oral (12-day, rat): LOEL (Lowest observable effect level); 440 mg/kg/day (target organ effects: blood, target organ effects: testes)
- Oral (28-day, rat): NOEL; 10 mg/kg/day
- Oral (28-day, rat): LOEL (Lowest observable effect level); 40 mg/kg/day (target organ effects: blood, target organ effects: testes)

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50):	> 100 mg/l
Toxicity to daphnia (EC50):	10 - 100 mg/l
Toxicity to algae (IC50):	10 - 100 mg/l
Toxicity to other organisms (EC50):	> 100 mg/l (sludge)

Persistence and degradability: Readily biodegradable.

Chemical Oxygen Demand (COD): ca. 0.15 g/g

Biochemical Oxygen Demand (BOD): ca. 0.11 g/g

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

Material Safety Data Sheet

Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 6/8



15. Regulatory information

Notification status

Regulatory List	Notification status
EINECS	n (Negative listing)
TSCA	n (Negative listing)
AICS	y (positive listing)
DSL	n (Negative listing)
ENCS (JP)	n (Negative listing)
KECI (KR)	n (Negative listing)
PICCS (PH)	y (positive listing)
INV (CN)	y (positive listing)

A N (Negative listing) indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65:	none
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required:	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000):	No components are subject to the Massachusetts Right to Know Act.
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section

Material Safety Data Sheet

Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 7/8



	302.
US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323):	Sodium sulphite, Sodium metaborate, tetrahydrate
US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5):	Sodium sulphite, Sodium metaborate, tetrahydrate, Pentetic acid, pentasodium salt

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

CONTAINS: Sodium sulphite (7757-83-7), Sodium metaborate, tetrahydrate (10555-76-7), 4-hydroxymethyl-4-methyl-1-phenyl-3-pyrazolidinone (13047-13-7)

WARNING!

**MAY BE HARMFUL IF INHALED, ABSORBED THROUGH SKIN, OR SWALLOWED
DUST IRRITATING TO RESPIRATORY TRACT
CAUSES SKIN AND EYE IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION**

Do not breathe dust.
Avoid contact with eyes, skin, and clothing.
Keep container closed.
Use only with adequate ventilation.
Wash thoroughly after handling.

FIRST AID: If inhaled, remove to fresh air. Get medical attention. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

Keep out of reach of children.

Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood.

Since emptied containers retain product residue, follow label warnings even after container is emptied.

IN CASE OF FIRE: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

IN CASE OF SPILL: Shovel into suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Material Safety Data Sheet

Revision Date: 10/05/2007
000000012673/Version: 1.3
Print Date: 01/29/2009
Page: 8/8

The Kodak logo is displayed in a bold, red, sans-serif font.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-2, F-0, C-0

Material Safety Data Sheet

Revision Date: 10/05/2008
000000012674/Version: 1.3
Print Date: 01/29/2009
Page: 1/7



1. Identification of the substance/preparation and of the company/undertaking

Product name: KODAK XTOL Developer, Part B

Product code: 8751752 - Part B

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York, 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For other information or to request an MSDS, call (800) 242-2424.

Synonyms: PCD 6327

Product Use: photographic processing chemical (developer/activator), For industrial use only.

2. Hazards identification

CONTAINS: Sodium sulphite (7757-83-7), Sodium metabisulphite (7681-57-4)

WARNING!

MAY BE HARMFUL IF INHALED OR SWALLOWED

MAY LIBERATE SULFUR DIOXIDE

MAY CAUSE EYE IRRITATION

POWDERED MATERIAL MAY FORM EXPLOSIVE DUST-AIR MIXTURES

HMIS III Hazard Ratings: Health - 1, Flammability - 1, Reactivity (Stability) - 0

NFPA Hazard Ratings: Health - 1, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight %	Components - (CAS-No.)
70 - 75	Sodium sulphite (7757-83-7)
5 - 10	Sodium metabisulphite (7681-57-4)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur. If easy to do, remove contact lens, if worn.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Material Safety Data Sheet



Revision Date: 10/05/2008
000000012674/Version: 1.3
Print Date: 01/29/2009
Page: 2/7

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

5. Fire-fighting measures

Extinguishing Media: Water spray, Carbon dioxide (CO₂), Dry chemical.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Carbon oxides, Sulphur oxides, (see also Hazardous Decomposition Products section).

Unusual Fire and Explosion Hazards: Dust may form explosive mixture in air.

6. Accidental release measures

Shovel into suitable container for disposal. Avoid dust formation. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Do not breathe dust. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Dust may form explosive mixture in air. Minimize dust generation and accumulation. Use only with adequate ventilation. Keep away from sources of ignition. Refer to NFPA 654, "Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids." Keep from contact with oxidizing materials.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Sodium metabisulphite	ACGIH	time weighted average	5 mg/m ³
Sulphur dioxide	ACGIH	time weighted average	2 ppm
	ACGIH	Short term exposure limit	5 ppm
	OSHA Z1	Permissible exposure limit	5 ppm 13 mg/m ³

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Material Safety Data Sheet

Revision Date: 10/05/2008
000000012674/Version: 1.3
Print Date: 01/29/2009
Page: 3/7



Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: N95 Particulate Filter. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: Acid gas. See Stability and Reactivity Section. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

9. Physical and chemical properties

Physical form: solid (powder)

Colour: off-white

Odour: odourless

Specific gravity: no data available

Vapour pressure: negligible

Vapour density: no data available

Volatile fraction by weight: negligible

Melting point/range: no data available

Water solubility: complete

pH: no data available

Flash point: not applicable

10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: Acids, Strong oxidizing agents. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

Material Safety Data Sheet

Revision Date: 10/05/2008
000000012674/Version: 1.3
Print Date: 01/29/2009
Page: 4/7



General advice:

Contains: Sodium metabisulphite. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Inhalation: May be harmful if inhaled. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: May cause eye irritation.

Skin: This material has a low potential to cause allergic skin reactions; however, cases of human skin sensitization have been reported.

Ingestion: May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:

- Oral LD50 (rat): > 1,600 mg/kg
- Oral LD50 (rat): 2,610 mg/kg
- Inhalation LC50 (rat): > 5.5 mg/l / 4 hr
- Skin irritation: none
- Skin irritation: none
- Eye irritation: slight; washing palliative

Data for Sodium metabisulphite (CAS 7681-57-4):

Acute Toxicity Data:

- Oral LD50 (male rat): 1,900 mg/kg
- Oral LD50 (female rat): 1,130 mg/kg
- Oral LD50 (rat): 1,131 mg/kg
- Oral LD50 (rat): 424 mg/kg
- Dermal LD50: > 1,000 mg/kg
- Skin irritation: slight
- Skin irritation: moderate (repeated skin application)
- Skin Sensitization: none
- Eye irritation: moderate to strong

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Oral (14-day, rat): NOEL; > 1105 mg/kg/day

12. Ecological information

Material Safety Data Sheet



Revision Date: 10/05/2008
000000012674/Version: 1.3
Print Date: 01/29/2009
Page: 5/7

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50):	> 100 mg/l
Toxicity to daphnia (EC50):	10 - 100 mg/l
Toxicity to algae (IC50):	10 - 100 mg/l
Toxicity to other organisms (EC50):	> 100 mg/l (sludge)

Persistence and degradability: Readily biodegradable.

Chemical Oxygen Demand (COD): ca. 0.24 g/g

Biochemical Oxygen Demand (BOD): ca. 0.15 g/g

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
EINECS	y (positive listing)
TSCA	y (positive listing)
AICS	y (positive listing)
DSL	y (positive listing)
ENCS (JP)	y (positive listing)
KECI (KR)	y (positive listing)
PICCS (PH)	y (positive listing)
INV (CN)	y (positive listing)

A N (Negative listing) indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Material Safety Data Sheet



Revision Date: 10/05/2008
000000012674/Version: 1.3
Print Date: 01/29/2009
Page: 6/7

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65:	This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.
US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323):	Sodium sulphite, Sodium erythrobrate, Sodium metabisulphite
US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000):	No components are subject to the Massachusetts Right to Know Act.
US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5):	Sodium sulphite, Sodium erythrobrate, Sodium metabisulphite
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required:	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

CONTAINS: Sodium sulphite (7757-83-7), Sodium metabisulphite (7681-57-4)

WARNING!

Material Safety Data Sheet



Revision Date: 10/05/2008
000000012674/Version: 1.3
Print Date: 01/29/2009
Page: 7/7

MAY BE HARMFUL IF INHALED OR SWALLOWED
MAY LIBERATE SULFUR DIOXIDE
MAY CAUSE EYE IRRITATION
POWDERED MATERIAL MAY FORM EXPLOSIVE DUST-AIR MIXTURES

Do not breathe dust.
Keep container tightly closed.
Minimize dust generation and accumulation.
Avoid contact with eyes, skin, and clothing.
Use only with adequate ventilation.
Wash thoroughly after handling.

FIRST AID: If inhaled, remove to fresh air. Get medical attention. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur. If easy to do, remove contact lens, if worn. Wash off with soap and water. Get medical attention if symptoms occur. If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

Keep out of reach of children.

Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood.

Since emptied containers retain product residue, follow label warnings even after container is emptied.

IN CASE OF FIRE: Use Water spray, Carbon dioxide (CO₂), Dry chemical.

IN CASE OF SPILL: Shovel into suitable container for disposal. Avoid dust formation. Clean surface thoroughly to remove residual contamination.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-1, C-0

Material Safety Data Sheet

Revision Date: 10/21/2008
000000012802/Version: 1.1
Print Date: 01/29/2009
Page: 1/7



1. Identification of the substance/preparation and of the company/undertaking

Product name: KODAK XTOL Developer, Working solution

Product code: 8751752 - Working solution

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York, 14650

For Emergency Health, Safety & Environmental Information, call (585) 722-5151 (USA)

For other information or to request an MSDS, call (800) 242-2424.

Synonyms: None.

Product Use: photographic processing chemical, For industrial use only.

2. Hazards identification

CONTAINS: Sodium bisulphite (7631-90-5), Sodium sulphite (7757-83-7)

WARNING!
MAY BE HARMFUL IF SWALLOWED.

HMIS III Hazard Ratings: Health - 1, Flammability - 0, Reactivity (Stability) - 0

NFPA Hazard Ratings: Health - 1, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight %	Components - (CAS-No.)
5 - 10	Sodium sulphite (7757-83-7)
0.1 - < 1	Sodium bisulphite (7631-90-5)
0.1 - < 1	Pentetic acid, pentasodium salt (140-01-2)
0.1 - < 1	Sodium metaborate (7775-19-1)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Material Safety Data Sheet



Revision Date: 10/21/2008
000000012802/Version: 1.1
Print Date: 01/29/2009
Page: 2/7

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

5. Fire-fighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products section).

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Personal precautions: Avoid prolonged or repeated breathing of mist or vapour. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling.

Prevention of Fire and Explosion: No special technical protective measures required.

Storage: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Sulphur dioxide	ACGIH	time weighted average	2 ppm
	ACGIH	Short term exposure limit	5 ppm
	OSHA Z1	Permissible exposure limit	5 ppm 13 mg/m3

Ventilation: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Respiratory protection: None should be needed under normal conditions of use. If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: Acid gas. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

Material Safety Data Sheet

Revision Date: 10/21/2008
000000012802/Version: 1.1
Print Date: 01/29/2009
Page: 3/7



Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

9. Physical and chemical properties

Physical form: liquid

Colour: yellow

Odour: odourless

Specific gravity: 1.08

Vapour pressure: 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Volatile fraction by weight: 85 - 95 %

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: complete

pH: 8.2

Flash point: does not flash

10. Stability and reactivity

Stability: Stable under normal conditions.

Incompatibility: Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

Inhalation: Expected to be a low hazard for recommended handling. Some asthmatics or hypersensitive individuals may experience difficulty breathing if exposed to aerosols or decomposition products that are not anticipated during normal use.

Eyes: No specific hazard known. May cause transient irritation.

Material Safety Data Sheet

Revision Date: 10/21/2008
000000012802/Version: 1.1
Print Date: 01/29/2009
Page: 4/7



Skin: This material has a low potential to cause allergic skin reactions; however, cases of human skin sensitization have been reported.

Ingestion: May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:

- Oral LD50 (rat): > 1,600 mg/kg
- Oral LD50 (rat): 2,610 mg/kg
- Inhalation LC50 (rat): > 5.5 mg/l / 4 hr
- Skin irritation: none
- Skin irritation: none
- Eye irritation: slight; washing palliative

Data for Sodium bisulphite (CAS 7631-90-5):

Acute Toxicity Data:

- Oral LD50 (rat): > 1,600 mg/kg

Data for Pentetic acid, pentasodium salt (CAS 140-01-2):

Acute Toxicity Data:

- Oral LD50 (male rat): 3,200 mg/kg
- Oral LD50 (female rat): 2,263 mg/kg
- Skin Sensitization: none

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Oral (11 days, male rat): NOEL; 100 mg/kg/day

Data for Sodium metaborate (CAS 7775-19-1):

Acute Toxicity Data:

- Oral LD50 (male rat): 1,600 - 3,200 mg/kg
- Oral LD50 (male): (10% in water)
- Dermal LD50 (guinea pig): >20 cc/kg cc/kg
- Skin irritation: slight
- Eye irritation (unwashed eyes): none

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Material Safety Data Sheet



Revision Date: 10/21/2008
000000012802/Version: 1.1
Print Date: 01/29/2009
Page: 5/7

Toxicity to fish: > 100 mg/l

Toxicity to daphnia: > 100 mg/l

Toxicity to algae: > 100 mg/l

Toxicity to other organisms: > 100 mg/l

Persistence and degradability: Readily biodegradable.

Chemical Oxygen Demand (COD): 21 g/l

Biochemical Oxygen Demand (BOD): 15 g/l

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

For transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
EINECS	y (positive listing)
TSCA	y (positive listing)
AICS	y (positive listing)
DSL	y (positive listing)
ENCS (JP)	y (positive listing)
KECI (KR)	y (positive listing)
PICCS (PH)	y (positive listing)
INV (CN)	y (positive listing)

A N (Negative listing) indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Material Safety Data Sheet



Revision Date: 10/21/2008
000000012802/Version: 1.1
Print Date: 01/29/2009
Page: 6/7

International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65:	This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.
US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323):	Water, Sodium sulphite
US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000):	No components are subject to the Massachusetts Right to Know Act.
US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5):	Water, Sodium sulphite, Sodium erythrobate
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required:	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

CONTAINS: Sodium bisulphite (7631-90-5), Sodium sulphite (7757-83-7)

**WARNING!
MAY BE HARMFUL IF SWALLOWED.**

Avoid prolonged or repeated breathing of mist or vapour.
Avoid contact with eyes, skin, and clothing.
Use only with adequate ventilation.
Wash thoroughly after handling.

Material Safety Data Sheet

Revision Date: 10/21/2008
000000012802/Version: 1.1
Print Date: 01/29/2009
Page: 7/7



FIRST AID: If inhaled, remove to fresh air. Get medical attention if symptoms occur. Any material that contacts the eye should be washed out immediately with water. Get medical attention if symptoms occur. Wash off with soap and water. Get medical attention if symptoms occur. If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

Keep out of reach of children.

Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood.

Since emptied containers retain product residue, follow label warnings even after container is emptied.

IN CASE OF FIRE: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

IN CASE OF SPILL: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-1, F-0, C-0